# What's inside...

Extensive options to help you securely circulate media from shelf to checkout and back again.

RFID	186-188
RF	189
EM	190-193
Patron Counters	194




Call: 1.800.265.8470


Click: www.brodart.ca Fax: 1.800.363.0483

185



- Elegant design and quality materials create a timeless solution that complements any library
- quickConnect interface lets you customize your library's workflow
- · Offers ample modularity
- · Patrons can choose their preferred language and font size for a better experience
- · Easily promote events and your collection
- Monitor can be displayed in portrait or landscape orientation
- Power: Input C13 connector. 240 VAC input, 130 watts, 50Hz.; 110 VAC for North American installs, 5 Amp fuse
- Data: 10/100 ethernet
- Touchscreen: Large 22" touchscreen; Brightness: 250 nits; HD widescreen resolution 1920 x 10800; projective capacitive touchscreen technology
- Standard PC: Windows 10 IoT Enterprise LTSC 2021 64-bit / 4GB RAM 128 GB SSD
- RFID Specification: Operating Frequency: 13,56MHz Max / transmitting power: 1.2W
- Supported tag types: ISO 15693, ISO 18000-3-A (NXP SLI, SLIx, SLIx2)
- RFID item capacity: Approx. 15 items at any one time
- Login Types: Bar code (full range of bar code types), RFID, Smartcard and manual screen entry
- Configuration and reporting is made available in real-time via optional libraryConnect LINK central management software (sold separately)
- Software is configured for connection to the library ILS/LMS through SIP2; access to the library's network via Ethernet is required
- Right Side shelf adds additional 13"W checkout space Assembled. Ships from manufacturer via truck.







## **III** bibliotheca transforming libraries selfCheck™ System

0

Thermal Receipt Paper • For models R, V, BCS, 2800, C 3100 THE (31/4"W x 230'L)

0

CAT.#	LBS.	PRICE
30 899 012	1.20	\$8.58









Simple, intuitive experience for patrons

- · Can process items using both EM and RFID technology
- · Attractive LED-based display guides patrons through entire checkout process
- Provides guick and easy access to user accounts
- 22" portrait touchscreen (16:9 Aspect Ratio)
- HD widescreen resolution: 1920 x 1080
- Supported tag types: ISO 15693, ISO 18000-3-A(NXP SLI, SLIx, SLix2)
- Software: Hybrid self-checks comes pre-loaded with our quickconnect self-service software, which provides the customer with the full range of borrow, return, and account functions
- Easy-access receipt printer for staff
- 1-year warranty. Ready to assemble. Ships from manufacturer via truck.

CAT.#	DESCRIPTION	H x W x D	LBS.	PRICE
30 358*	(A) Hybrid selfCheck™ Kiosk	58" x 29" x 25"	338.00	Call for Pricing
30 357*	(B) Hybrid selfCheck™ Desktop	34" x 27" x 28"	195.00	Call for Pricing
*Specify colour: White-001 or Black-002.				



CAT.#	DESCRIPTION	LBS.	PRICE
30 580 001	(A) 1 Aisle Direct Mount	124.00	Call for Pricing
30 580 002	2 Aisle Direct Mount	186.00	Call for Pricing
30 580 003	3 Aisle Direct Mount	248.00	Call for Pricing
30 581 001	(B) 1 Aisle Buried Cable	124.00	Call for Pricing
30 581 002	2 Aisle Buried Cable	186.00	Call for Pricing
30 581 003	3 Aisle Buried Cable	248.00	Call for Pricing



Allows wide entrance for wheelchairs, wide strollers, and

Wider aisles increase accessibility

large groups

- · Easily alert staff with audible and visible alerts
- · Analyze library traffic patterns with integrated patron counter
- Reads up to eight tags per second in all three orientations
- Optimal coverage achieved within 63" of separation
- · Operating frequency: 13.56 MHz
- Max. transmitting power: 8 W
- Supports tag types: ISO 15693, ISO 18000-3a, (XP I-Code, SLI, SLIX, SLIX2)
- · Software not required; using software can provide enhanced reporting
- 1-year warranty. Ready to assemble. Ships from manufacturer via truck.

CAT.#	DESCRIPTION	LBS.	PRICE
30 583 001	(C) 1 Aisle Base Plate	124.00	Call for Pricing
30 583 002	2 Aisle Base Plate	186.00	Call for Pricing

#### For Additional Security Gates, visit us online at www.brodart.ca



Instantaneous RFID tag detection, regardless of orientation

- Outstanding performance to protect your collection
- · Non-activated RFID tags are instantaneously detected
- · Analyze library traffic patterns with visible patron counter
- Remotely configure and pull management reports with optional libraryConnect™ devices
- Choose the alarm colour and adjustable audible alarm that suit your library
- · Combine multiple gates for wider entrances
- · Save energy during off-peak times
- · Software not required; using software can provide enhanced reporting
- 1-year warranty. Ready to assemble. Ships from manufacturer via truck.

CAT.#	DESCRIPTION	LBS.	PRICE
30 445 001	(A) 1 Aisle Direct Mount	124.00	Call for Pricing
30 445 002	2 Aisle Direct Mount	186.00	Call for Pricing
30 445 003	3 Aisle Direct Mount	248.00	Call for Pricing
30 445 004	4 Aisle Direct Mount	310.00	Call for Pricing
30 445 005	5 Aisle Direct Mount	434.00	Call for Pricing
30 445 006	6 Aisle Direct Mount	496.00	Call for Pricing



CAT.#	DESCRIPTION	LBS.	PRICE
30 446 001	(B) 1 Aisle Buried Cable	124.00	Call for Pricing
30 446 002	2 Aisle Buried Cable	186.00	Call for Pricing
30 446 003	3 Aisle Buried Cable	248.00	Call for Pricing
30 446 004	4 Aisle Buried Cable	310.00	Call for Pricing
30 446 005	5 Aisle Buried Cable	434.00	Call for Pricing
30 446 006	6 Aisle Buried Cable	496.00	Call for Pricing
30 447 001	(C) 1 Aisle Base Plate	124.00	Call for Pricing
30 447 002	2 Aisle Base Plate	186.00	Call for Pricing





#### RFID workstation™ shielded

With focused read area and multiple read capability

- Fully shielded antenna provides concentrated detection field; only items placed directly on workstation™ antenna are detected
- Workstation™ antenna can read multiple stacked items of varying size, weight, and thickness
- RFID reader connects to PC via USB; supplied with a localized plug-in supply (110V ac/60Hz or 240V ac/50Hz)
- RF power output is 1.2 Watt; workstation™ shielded conforms to CE and FCC
- Software: staffConnect™ circ software will need to be installed on your existing PC, running Microsoft™ Windows (Windows 10 or W7 32/64); connection to the LMS/ILS is only required for some of the functionalities
- An optional receipt printer or bar code scanner (each sold separately) can be added to any RFID workstation™

1-year warranty. Ships from manufacturer.

CAT.#	H x W x D	LBS.	PRICE
30 437 001	1/5" x 13¾" x 11"	4.00	<b>Call for Pricing</b>













#### **RFID Media Tags**

Longer read range for security and optimum productivity

3

- CD/DVD tag fits around the hub of CDs and DVDs
- Full disc overlay provides more security for disc media
- Clear Tag<sup>™</sup> Square is designed to perform optimally with both paperback and hardcover books
- Tags are age-tested for longevity and read range reliability

CAT.#	DESCRIPTION	QUANTITY	LBS.	PRICE
30 552 002	(A) RFID Tags™ Hub	2,000/Roll	2.00	\$1,180.45
30 552 003	(B) RFID Tags™ fullDiscCD	1,000/Box	7.80	1,081.90
30 552 001	(C) ISO RFID Tag <sup>™</sup> Square	2,000/Roll	3.27	985.35
30 552 101	(D) 2" x 3" RFID Tag <sup>™</sup> Rectangle	1,500/Roll	2.50	771.98

For more RFID products, visit us online at www.brodart.ca

#### **Ketec Radio Frequency Challenger Detection Systems**

Designed to blend in with any colour scheme or décor

- · ADA-compliant, self-installable, and user-friendly
- · Rugged and reliable; virtually eliminates false alarms and on-site service calls
- Compatible with essentially all other radio frequency (RF) security tags, tabs, and cards
- Can be installed within 3' of displayed or stored items with security tags
- All systems include a base plate; 3' for single corridor and 6' for dual corridor
- Systems operate at 9.5 MHz
- Compatible with AC requirements anywhere in the world; specify 120VAC/60Hz or 220/VAC/50/60Hz when ordering
- · Includes installation instructions

(Antennae are 60"H x 11%"D) 1-year warranty. Ready to assemble. Ships from manufacturer.

CAT.#	CORRIDOR	LBS.	PRICE
30 835 001	Single	74.00	Call for Pricing
30 835 101	Dual	98.00	Call for Pricing





Safe for books and media

- · Cost-effective pressure-sensitive tags
- Easy to apply
- · 2,000 tags per roll
- Tags are 9.5 MHz (8.2 MHz tags are available upon request)

Ships from manufacturer.


CAT.#	DESCRIPTION	HxW	LBS.	PRICE
30 820 001	<ul><li>(A) 300 Series Plain White</li><li>(B) 400 Series Plain White</li></ul>	2" x 2"	4.20	\$450.45
30 821 001		1½" x 1½"	3.00	337.00

#### **Ketec Radio Frequency Classic Detection Systems**

ADA-compliant, self-installable, and user-friendly

- Rugged and reliable; virtually eliminates false alarms and on-site service calls
- · Compatible with most radio frequency (RF) security tags, tabs, and cards
- Can be installed within 3' of displayed or stored items with security tags
- All systems include a base plate; 3' for single corridor and 6' for dual corridor

CAT.#	CORRIDOR	LBS.	PRICE
30 834 0*	Single	74.00	Call for Pricing
30 834 1*	Dual	98.00	Call for Pricing
*Choolfy coloury Alm	and 01 Gray 02 or Plack 02		













CAT.#	DESCRIPTION	LBS.	PRICE
30 594 001	(A) 1 Aisle Direct Mour	nt 160.00	Call for Pricing
30 594 002	2 Aisle Direct Mour	nt 240.00	Call for Pricing
30 594 003	3 Aisle Direct Mour	nt 320.00	Call for Pricing
30 594 004	4 Aisle Direct Mour	nt 400.00	Call for Pricing
30 594 005	5 Aisle Direct Mour	nt 480.00	Call for Pricing
30 596 001	(B) 1 Aisle Buried Cabl	le 160.00	Call for Pricing
30 596 002	2 Aisle Buried Cabl	le 240.00	Call for Pricing
30 596 003	3 Aisle Buried Cabl	le 320.00	Call for Pricing
30 596 004	4 Aisle Buried Cabl	le 400.00	Call for Pricing
30 596 005	5 Aisle Buried Cabl	le 480.00	Call for Pricing
30 598 001	(C) 1 Aisle Base Plate	160.00	Call for Pricing
30 598 002	2 Aisle Rase Plate	240.00	Call for Pricing

#### **Tattle-Tape™ Gates**

Ultimate security meets modern design

- · Reduces unwanted alarms
- Remotely configure and pull management reports with optional libraryConnect™
- Can detect EM strips regardless of orientation within the gates
- · Integrated, visible people counter
- · Eight selectable LED colour alarms and patterns
- Sleek design; interchangeable graphic sections
- · Flexible configuration and installation
- · Software not required; using software can provide enhanced reporting
- 1-year warranty. Ready to assemble. Ships from manufacturer via truck.

#### Tattle-Tape™ Security Strips reduce theft by preventing desensitization from common household magnets.





#### **Tattle-Tape™ Clear Gates**

Sleek design enhances library aesthetic

- · Reduces unwanted alarms
- Remotely configure and pull management reports with optional libraryConnect™
- Can detect EM strips regardless of orientation within the gates
- Integrated, visible people counter
- Eight selectable LED colour alarms and patterns
- · Sleek, mirrorlike finish complements any library interior
- Flexible configuration and installation
- · Software not required; using software can provide enhanced reporting
- 1-year warranty. Ready to assemble. Ships from manufacturer via truck.

CAT.#	DESCRIPTION	LBS.	PRICE
30 429 001	(A) 1 Aisle Direct Mount	160.00	Call for Pricing
30 429 002	2 Aisle Direct Mount	240.00	Call for Pricing
30 429 003	3 Aisle Direct Mount	320.00	Call for Pricing
30 429 004	4 Aisle Direct Mount	400.00	Call for Pricing
30 429 005	5 Aisle Direct Mount	480.00	Call for Pricing
30 430 001	(B) 1 Aisle Buried Cable	160.00	<b>Call for Pricing</b>
30 430 002	2 Aisle Buried Cable	240.00	Call for Pricing
30 430 003	3 Aisle Buried Cable	320.00	Call for Pricing
30 430 004	4 Aisle Buried Cable	400.00	Call for Pricing
30 430 005	5 Aisle Buried Cable	480.00	Call for Pricing
30 431 001	(C) 1 Aisle Base Plate	160.00	<b>Call for Pricing</b>
30 431 002	2 Aisle Base Plate	240.00	Call for Pricing

# bibliotheco transforming libraries Tattle-Tape™ Brand Protection for Printed, Magnetic, and Optical Media



#### (A) TATTLE-TAPE™ DESENSITIZER FOR PRINTED MATERIAL, CDS, AND **DVDS**

- · Designed for high-volume checkout of non-magnetic items
- · Portable, non-electric, and repositionable

CAT.#	H x W x D	LBS.	PRICE
30 300 002	1½" x 5" x 9½"	6.00	Call for Pricing



#### FOR BOOKS AND OTHER PRINTED MATERIAL

- · Smooth, ergonomically correct resensitizing motion
- · Green light indicates unit is operating Ships from manufacturer.

CAT.#	H x W x D	LBS.	PRICE
30 300 101	4%" x 12¼" x 5½"	17.00	Call for Pricing

#### (C) TATTLE-TAPE™ ON-COUNTER BOOKCHECK FOR PRINTED MATERIAL, CDS, AND DVDS

- Resensitizes and desensitizes Tattle-Tape™ Security Strips in one unit
- · Includes feedback indicators
- · USB enabled to accommodate upgrades
- · Compatible with existing integrated library systems
- Security feature can be easily disabled to allow processing of magnetic media
- Installation charges apply if purchased with Security System or selfCheck™

Ships from manufacturer.

CAT.#	H x W x D	LBS.	PRICE
30 300 201	12%" x 16%" x 8%"	24.00	Call for Pricing





Service Agreements are recommended for electrical accessories. Call for details. All electrical accessories are CE listed.

## **III** bibliotheca

#### Tattle-Tape™ technology offers the most trusted, top-performing EM protection



#### **TATTLE-TAPE™ SECURITY STRIP B1:**

DESCRIPTION

**B1** Strips

- Single-sided adhesive
- Strips are concealed in book spine
- · Bayonet for strip insertion; sold separately below
- · 1,000 strips per box


CAT.#

30 225 001



#### TATTLE-TAPE™ SECURITY STRIP B2:

- 6½"L with double-sided adhesive
- · Strips are easily concealed in gutter of books and periodicals
- · Extra-long liner for easier application
- 1,000 strips per box



#### TATTLE-TAPE™ SECURITY STRIP DCD-2:

- · Two patented strips for precision balance
- · Clear film overlay is scratch- and removal-resistant
- · For CDs and single-sided DVDs only
- · 200 DCD-2 Strips per box

	CAT.#	LBS.	PRICE	CAT.#	DESCRIPTION	LBS.	PRICE
)	30 225 002	1.00	\$472.60	30 225 004	DCD-2 Strips	2.00	\$491.00



LENGTH LBS.

2.00

PRICE

\$493.00

#### TATTLE-TAPE™ SECURITY STRIP SB-3:

- · Not for use with MediaCheck
- · Can be used for small items

CAT.#	DESCRIPTION	QTY.	LBS.	PRICE
30 225 006	SB-3 Strips	1.000	1.00	\$491.00

Tattle-Tape™ Security Strips reduce theft by preventing desensitization from common household magnets.





#### Knogo™ WAM EM Wood Detection System

Optimum protection with the widest corridors available in the market today

- Wide Aisle Management system allows antennae to be placed from 36"-60" apart
- · Offers full coverage up to 6'H
- Detects all industry-standard EM labels; safe to use with magnetic media
- Features audible and visible alarms
- · Corridors meet Barrier Free and ADA accessibility codes
- Installation and maintenance charges apply
- Kensington Maple panels shown in photo
- Brighton Walnut and Huntington Maple panels can be purchased at \$500 upcharge (69"H x 29"W x 2%"D) 1-year warranty. Ready to assemble. Ships from manufacturer via truck.

CAT.#	DESCRIPTION	LBS.	PRICE
30 421 001	Single Corridor Direct Mount	230.00	Call for Pricing
30 421 201	Single Corridor Buried Cable	230.00	Call for Pricing
30 421 101	Dual Corridor Direct Mount	345.00	Call for Pricing
30 421 301	Dual Corridor Buried Cable	345.00	Call for Pricing





## NEW!

#### **QuickCheck-X™ Self-Checkout Stations**

Intuitive touchscreen with step-by-step instructions

- Use for checkout/check-in/renewals
- · Desensitizes electromagnetic strips
- During self-check transaction, system reads the bar code on the collection item, communicates with the integrated library system to authorize, records the transaction, and prints or emails receipts
- Choose Freestanding or Desktop unit
- · Remote monitoring, administration, and statistical reporting
- Web-based customer service
- Multiple languages available; call for details
- Allows incorporation of additional security features, such as unlocking secure AV cases and detecting multiple items

1-year warranty. Assembled. Ships from manufacturer via truck.

CAT.#	DESCRIPTION	H x W x D	LBS.	PRICE
30 046 001	Freestanding Station	55" x 47" x 24"	350.00	Call for Pricing
30 046 002	Desktop Station	26" x 47" x 24"	160.00	Call for Pricing

#### For up-to-date lead times, visit us online at www.brodart.ca





### **EM Desktop Deactivator**



Deactivate with a simple swipe

- Low-profile, contemporary design
- Compatible with all industry-standard EM security tags, including 3M Tattle-tape™
- · Non-skid base prevents deactivator movement during use

1-year warranty. Assembled. Ships from manufacturer.

CAT.#	H x W x D	LBS.	PRICE
30 559 001	2" x 10" x 3½"	5.00	<b>Call for Pricing</b>



#### **EM Staff Workstation** and Bookcheck **Deactivator/Reactivator**

Increase efficiency at the circulation desk

- Integrates with library ILS to minimize check-in/check-out errors
- · Plug-and-play installation
- Scans bar codes and desensitizes/resensitizes EM security strips in one pass
- Indicator light confirms strip detection and process completion
- Safe to use with all library materials; will not damage magnetic
- · Easy push-button interface
- · Non-skid feet on base
- · Can be placed on top of desk or flush-mounted in counter







- Includes software utility for obtaining statistics
- · Safe to use with all library media


Assembled. Ships from manufacturer via truck.

CAT.#	DESCRIPTION	LBS.	PRICE
30 469 001	(A) EM Staff Workstation Deactivator/Reactivator (B) EM Bookcheck Deactivator/Reactivator	21.00	Call for Pricing
30 468 001		21.00	Call for Pricing

#### For up-to-date lead times, visit us online at www.brodart.ca



#### ISTOM SECURITY Protection for EM Circulating Materials



#### SENTRY SECURITY STRIPS FOR HARDCOVER BOOKS

- Clear 5" single- and double-sided strips hide in the gutter or spine
- · Archival-quality adhesive protects circulating materials
- 1,000 strips per package

CAT.#	DESCRIPTION	LBS.	PRICE
30 425 001	5" Single-Sided Strips	0.60	\$288.00
30 425 002	5" Double-Sided Strips	1.00	288.00



#### SENTRY SECURITY STRIPS FOR CDS AND SINGLE-SIDED DVDS

- · Clear tag includes two strips
- · Compatible with most EM security systems
- 100 strips per package

CAT.#	LBS.	PRICE
30 425 004	0.60	\$198.75



#### BOOKWAND™ PORTABLE HANDHELD EM STRIP REACTIVATOR

- Sensitizes books individually, in groups, or when back on the shelf
- · Compatible with all standard EM security strips
- · May be used on all printed media, CDs, and DVDs
- · Uses rechargeable batteries and does not need to be plugged in during use
- · Easy-to-use compact design
- 1-year warranty. Ships from manufacturer.

CAT.#	H x W x D	LBS.	PRICE
30 348 001	11¾" x 2¾" x 1"	4.00	Call for Pricing







Advanced tracking technology provides widest viewing angle available

- Uses 3D advanced stereo vision tracking technology to provide accurate people counting data under a broad set of environmental conditions
- Offers the widest viewing angle on the market
- Unique sensor model portfolio to support any area/height situation
- Plug-and-play configuration
- Fast integration by system integrators
- Robust operation with guaranteed counting accuracy of 97% or greater
- VEA Analytics Cloud Platform Traffic and Occupancy

Sensor w/Cloud Reporting, Self-Install

Queue detection

87 176 001

- Accurately distinguishes among children, adults, shopping carts, and other objects
- Employee exclusion filters
- Can track up to 200 people simultaneously
- Optional installation sold separately below

Ready to assemble. Ships from manufacturer. DESCRIPTION

87 707 001	Sensor w/Cloud Reporting and Installation	1%" x 3%" x 5½"
	Traf-Sys Direct Count One Quick, easy installation for wire Integrated six-digit LCD display indicati Up to 16' (may be affected by environn Small size, lightweight, fast, easy, and Can be mounted at the entrance of yor Local LCD display shows current numble each day Mounting: Front firing IR beam; IR sens	less counting ng total counts ment) transmission n flexible installation ur facility to measure per of counts, which
	<ul> <li>Battery-operated 3.6v lithium (approx.</li> </ul>	one-year battery life

#### e Counter

- unts
- mission range
- tallation
- measure pedestrian traffic statistics

H x W x D

1%" x 3%" x 5½"

LBS.

0.77

PRICE

\$2,711.45

3,989.16

- s, which can be recorded at end of
- erated 3.6v lithium (approx. one-year battery life)
- · Ideal for indoor environments free from obstruction between sensors (21/4"H x 21/4"W x 1"D) Ships from manufacturer.

CAT.#	DESCRIPTION	LBS.	PRICE
55 820 001	People Counter	1.00	\$1,264.00
55 703 001	Replacement Battery for People Counter	0.04	33.80

## Walker Wireless

#### **CompuCount Server**

Collects and stores data from up to 16 people counters

- . Count may be viewed with ordinary web browser software
- · No dedicated computer connection required data is stored until connected
- Counts are collected and stored by the half hour, hour, day, week, and month
- Half-hour counts stored for three months; daily counts stored for 1½ years
- Count data may be exported to create curves, graphs, charts, and reports
- 418 MHz unit with typical indoor range up to 100'
- Individual IP address to identify specific locations
- ABS enclosure with mounting flanges
- CRC-16 error checked radio data for
- · Complies with part 15 of FCC rules 1-year warranty. Ships from manufacturer.

CAT.#	DESCRIPTION	H x W x D	LBS.	PRICE
55 722 001	CompuCount Server	4¼" x 1¼" x 3½"	0.48	\$2,607.50
55 722 002	Boost Account Repeater	1¼" x 4¼" x 3¼"	1.50	2,546.00



#### **Boost Account Repeater**

Designed to boost the signal of Traf-Sys people counters

- · May be placed on desktop, wall-mounted, or placed behind ceiling panel
- Factory-configured to work with people counters on this page and other boost-account repeaters
- Receives signals from up to 50 people counters within range
- 500' indoor range at 418 MHz; 1,500' range at 900 MHz
- 1-year warranty. Ships from manufacturer.

CAT.#	H x W x D	LBS.	PRICE
55 722 002	1½" x 4½" x 3½"	1.50	\$2,546.00